

## Prevalence of *Neisseria gonorrhoea* in Fertile and Infertile Women in Tehran

Brief Communication

Rashidi, Batool\* (M.D.)<sup>1</sup>; Chamani Tabriz, Leili (M.D.)<sup>2</sup>; Haghollahi, Fedyeh (M.Sc.)<sup>1</sup>; Jeddi-Tehrani, Mahmood (Ph.D.)<sup>3</sup>; Ramezanzadeh, Fatemeh (M.D.)<sup>1</sup>; Rahimi Forooshani, Abbas (Ph.D.)<sup>4</sup>; Shariat, Mamak (M.D.)<sup>5</sup>; Akhondi, Mohammad Mehdi (Ph.D.)<sup>2</sup>; Daneshjoo, Faezeh (B.A.)<sup>2</sup>

1. Vali-e-Asr Reproductive Health Research Center, Tehran University of Medical Sciences, Tehran, Iran.

2. Reproductive Biotechnology Research Center, Avicenna Research Institute, ACECR, Tehran, Iran.

3. Monoclonal Antibody Research Center, Avicenna Research Institute, ACECR, Tehran, Iran.

4. Department of Epidemiology and Biostatistics, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran.

5. Maternal-Fetal-Neonatal Health Research Center, Tehran University of Medical Sciences, Tehran, Iran.

### Abstract

**Introduction:** Gonococcal infection is one of the most common bacterial infections, especially in developing countries, but limited information is available about its prevalence in fertile and infertile women in Iran. Therefore, this study was set up to determine the prevalence of the disease in the aforementioned populations in Tehran.

**Materials and Methods:** In this cross-sectional study, 209 infertile women as the cases, and 170 pregnant women in the third trimester of pregnancy as the controls, were evaluated for signs and symptoms of gonococcal infection through interviews. A first-catch urine sample (15ml) was collected from each subject for the detection of *Neisseria gonorrhoea* by PCR method. The data from questionnaires and molecular evaluation were statistically analyzed.

**Results:** PCR testing on urine specimens of fertile and infertile women showed no *Neisseria gonorrhoea* infections.

**Conclusion:** Absence of *Neisseria gonorrhoea* infection in infertile and pregnant women in Tehran could signify the success of health initiatives and preventive measures taken in Iran.

**Key Words:** Infertility, *Neisseria gonorrhoea*, Polymerase Chain Reaction (PCR), Pregnancy.

**Corresponding Author:** Batool Rashidi, Vali-e-Asr Reproductive Health Research Center, Imam Khomeini Hospital, Keshavarz Blvd., P.O. Box: 14194, Tehran, Iran.  
**E-mail:** bhrashidi@sina.tums.ac.ir

Received: Oct 18, 2008; Accepted: Jan 14, 2009